


A2PD Axial Dual Output Pumps

Twin Flow Hydraulic Piston Pumps, Dual Flow, Dual Output.
High Pressure, High Rotational Speed, High Efficiency, Slim Design.
Cast Iron Pump Body, Re-Designed.


Designation;

35+35, 50+30, 50+50, 40+20
50+10, 30+30, 35+25




Hidrapac **Store**

www.HIDRAPAC.com.tr




Pump type	Code	Displacement cm ³ /rev	Pressure		Max speed rpm	Weight kg
			Max bar	Peak bar		
35+35	Bi-Direct. DualFlw	35+35	300	350	1500	21,4
50+30	Bi-Direct. DualFlw	50+30				21,2
50+50	Bi-Direct. DualFlw	50+50				
40+20	Bi-Direct. DualFlw	40+20	300	350	1500	21,2
50+10	Bi-Direct. DualFlw	50+10	300	350	1500	21,2
30+30	Bi-Direct. DualFlw	30+30	300	350	1500	21,2
35+25	Bi-Direct. DualFlw	35+25	300	350	1500	21,2


FLOW




DRIVE TORQUE





POWER INPUT







Pump reference	Displac. (cc/rev)		A	B	C	D	E	F	G	J	K	Weight (kg)	Overhang torque (N.m)
	a	b											
A4PP 2 x 32	32	32	290	123	138.8	69	90	69	124	G 2"	G 3/4"	23.5	31.5
A4PP 2 x 40	39	39	290	123	138.8	69	90	69	124	G 2"	G 3/4"	23.5	31.5
A4PP 2 x 50	52	52	290	123	138.8	69	90	69	124	G 2"	G 3/4"	23.5	31.5
A4PP 2 x 57	57	57	290	123	138.8	69	90	69	124	G 2"	G 3/4"	23.5	31.5
A4PP 2 x 75	75	75	302	126	147.8	72.5	90	72.5	135	G 2"	G 3/4"	26.8	38.7
A4PP 75-40	75	40	302	126	147.8	72.5	90	72.5	135	G 2"	G 3/4"	27.4	38.7
A4PP 2 x 25	25	25	243	102.5	112.8	63	78	65	107	G 1 1/2"	G 3/4"	16	17.6
A4PP 2 x 32	32	32	243	102.5	112.8	63	78	65	107	G 1 1/2"	G 3/4"	16	17.6
A4PP 2 x 40	39	39	247	102.5	116.3	63	78	65	107	G 1 1/2"	G 3/4"	17	21.3
A4PP 2 x 32	32	32	287	123	133.8	77.5	90	69	124	G 2"	G 3/4"	24.6	34.4
A4PP 2 x 40	40	40	287	123	133.8	77.5	90	69	124	G 2"	G 3/4"	24.6	34.4
A4PP 2 x 55	55	55	287	123	133.8	77.5	90	69	124	G 2"	G 3/4"	24.6	34.4
A4PP 2 x 67	67	67	287	123	133.8	77.5	90	69	124	G 2"	G 3/4"	24.6	34.4
A4PP 55-33	55	33	287	123	133.8	77.5	90	69	124	G 2"	G 3/4"	24.6	34.4
A4PP 67-40	67	40	287	123	133.8	77.5	90	69	124	G 2"	G 3/4"	24.6	34.4



Single flow models





Twin-flow models



Single flow models



Twin-flow models



Hydraulic Pumps



K2FA (DIN)

BENT AXIS PISTON PUMPS



K2FL (DIN)

ALUMINUM BODY
BENT AXIS PISTON PUMPS



A2FD (DIN)

DUAL FLOW
BENT AXIS PISTON PUMPS



A2FO (ISO)

BENT AXIS PISTON PUMPS



A2FS (SAE)

BENT AXIS PISTON PUMPS



AXVP Series

VARIABLE DISPLACEMENT
PISTON PUMPS



A3PP Series

AXIAL PISTON PUMPS



A3PH Series

HIGH PRESSURE
PISTON PUMPS



ByPass Valve

FOR
BENT AXIS PISTON PUMPS



LS Adapters

FOR
VARIABLE PISTON PUMPS

Hydraulic Motors



K2FM (DIN)

BENT AXIS PISTON MOTORS



A2FM (ISO)

BENT AXIS PISTON MOTORS



A2MS (SAE)

BENT AXIS PISTON MOTORS



A2FE (FixedPlug)

BENT AXIS PISTON MOTORS



Anti Cavitation

VALVE
BENT AXIS PISTON MOTORS


ByPass Valve

for Bent Axis Piston Pumps



LS Adapter

for Variable Displacement Piston Pump



Suction Fittings

for Bent Axis Piston Pumps



Flushing Valve

for Bent Axis Piston Motors



Adapter

for Bent Axis Piston Pumps



Flange, Couplar

for Bent Axis Piston Pumps



Hydraulic Pumps, Hydraulic Motors

Bent Axis Hydraulic Piston Pumps, Bent Axis Piston Motors,
Dual Flow Hydraulic Piston Pumps, Variable Displacement Piston Pumps,
High Pressure Piston Pumps, Straight Axial Piston Pumps..



Address;

HIDRAPAC HYDRAULIC PUMP & MOTORS

Address; (PRODUCTION)

Fevzicakmak Mah. Sila Cad. Kobisan 3 San. Sit.
No: 73 / C Karatay – Konya, PO Code; 42050, Turkiye

Address; (ASSEMBLE, SHIPMENT)

Fevzicakmak Mah. Sila Cad. Kobisan 3 San. Sit.
No: 71 / AD Karatay – Konya, PO Code; 42050, Turkiye

Phone; +90 551 111 77 44